



Dental Company Limited

3/5 DYLAN ROAD
BELEVEDERE
KENT
DA17 5QS

HEALTH AND SAFETY DATA SHEET

Product no.	Version 09/99/YB	Status	09/99/YB
Substance code:		Page :	1 (3)
1. Identification of the substance / preparation and company			
Product details			
Trade Name: T-Fil (Temporary Dental Filling Material)			
Supplier details :			
PSP Dental Company Limited		Information provided by:	
3-5 Dylan Road		PSP Dental Company Limited	
Belvedere			
Kent DA17 5QS			
Emergency telephone number: 020-8311-7337			
Emergency fax number: 020 8310 0920			
2. Composition/information on ingredients			
Chemical characterization			
Non Hazardous Components			
Ingredient	%	CAS No.	S Phrase R Phrase
Zinc Oxide B.P	40.0	1314-13-2	
Calcium Sulphate	30.0		
Synthetic Plasticizer	15.0	1565-94-2	
Potassium Sulphate	10.0	7778-80-5	
Flavouring	Trace		
3. Hazards identification			
Unlikely to cause harmful effects under normal conditions of handling and use.			
Practice good hygiene. Wear gloves, overalls.			
4. First aid measures			
after contact with skin			
Wash with copious amounts of running water and soap.			
Seek medical attention if irritation persists.			
after contact with eyes			
Wash with copious amounts of running water. If discomfort persists seek medical attention without delay.			
after ingestion			
Accidental ingestion of up to the prescribed dose quantity is not known to produce any adverse effects.			
after inhalation			
Not applicable			



Dental Company Limited

3/5 DYLAN ROAD
BELEVEDERE
KENT
DA17 5QS

HEALTH AND SAFETY DATA SHEET

Product no.	Version 09/99/YB	Status 09/99/YB
Substance code:		Page : 2 (3)
5. Fire-fighting measures Material does not support combustion		
6. Accidental release measures Environmental precautions Dispose as indicated by Local Authority Regulations		
7. Handling and storage Handling In normal use, in Dental Surgery, no special precautions are necessary when handling material. In bulk protective clothing and goggles should be worn. Storage The product should not be stored in hot and humid areas. Keep away from direct light.		
8. Exposure controls / personal protection Hygiene measures Remove soiled or soaked clothing immediately. Wash hands before breaks and after work. Respiratory protection :N/A Hand protection :Gloves Eye protection :Goggles Body protection :Overalls and boots		
9. Physical and chemical properties Appearance Form : Solid Colour : Universal Odour : N/A Data relevant to safety Flash point : N/A Ignition temperature: N/A Explosive Limits : N/A Boiling Point / Range: N/A Melting Point Range : N/A Density : N/A Solubility in water : N/A Vapour Pressure : N/A		



Dental Company Limited

3/5 DYLAN ROAD
BELEVEDERE
KENT
DA17 5QS

HEALTH AND SAFETY DATA SHEET

Product no.	Version 09/98/YB	Status 09/99/YB
Substance code:		Page : 3 (3)
10. Stability and reactivity	Thermal decomposition / Conditions to avoid STABLE. Material will solidify in humid or damp conditions	
	Hazardous reactions / Substances to avoid N/A	
11. Toxicological information	There is no Toxicological data available for this product. There is no known health risk if used properly. Prolonged skin and eye contact should be avoided. Remarks	
12. Ecological information	Further ecological information Remarks No environmental hazard is anticipated provided that the material is handled and disposed of with due care and Attention.	
13. Disposal considerations	Product Container and substance via authorised waste disposal contractor to an approved waste disposal site observing All local and National regulations.	
14. Transport information	UN No: IMO: IATA: Correct Technical Name: ADR/RID:	IMDG Class: Packaging Group: Packaging Group:
15. Regulatory information	Hazard symbols R phrases S phrases Other regulations	
16. Other information	This Information is given in good faith, being based on the latest knowledge available to P.S.P.Dental Co. Ltd. No known relevant information has been omitted from the product information, risk information and safety precaution sheets. The user should not assume therefore, the product is suitable for any abnormal use. If the information provided is insufficient to ensure safety in any particular application, please contact P.S.P.Dental Co. Ltd prior to use for further advice.	